Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	223	(generat\$3 visual representation charact\$6 information or style definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:24
S2	75	(generat\$3 visual representation charact\$6 information or rend\$5 engine displ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:27
<b>S3</b>	554	generat\$3 visual representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:28
S4	1	tree assemb\$4 mod\$5 near15 generat\$3 visual representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:32
S5	6203787	bind\$3 module near15 plurality or multi or multiple or multiplicity or multitude or many or group or grouping or variety or various or several data view or (field adj2 view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:37
S6	197	S1 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:20
<b>S7</b>	7	S6 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:15
S8	8	S6 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:31
S9	150	S6 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 15:30

S11	186	associat\$3 shared set near5 information with two or more objects displ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:11
S12.	2	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:02
S13	166	S5 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:11
S14	73	"35" and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:05
S15	3	S3 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:04
<b>S16</b>	541.	715/762 ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	-2006/12/28 16:22.
S17	6	S1 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:23
<b>S18</b>	647541	((associate or associated or associating or association or relate or related or relation or relationship or anchor or anchored or anchoring or link or linked or linking or connect or connected or connecting or connection or connectable) near5 (visual style information same data or content or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:36
S19	2914030	S18 and bind\$3 module with generat\$3 visual style definitions or represent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:43

S20	47812	S18 and layout engine provid\$3 additional user interface or gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:48
S21	22251	S20 and tree assembl\$3 module near5 generat\$3 visual or graphic representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:51
S22	779	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:52
S23	1	S22 and lookup module near5 locat\$3 associat\$3 visual style definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	<b>ON</b> * 1	2006/12/28 16:57
S24	0	S22 and pluarility or multitude objects display\$3 near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:56
S25	<b>0</b>	S22 and pluarility or multitude objects display\$3 near menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:56
S26	0	S22 and pluarility or multitude objects display\$3 near combination box	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:57
S27		S22 and binding properties	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:58
S28	2160	(gui or user interfac\$) same (render\$3 or display\$3) near3 data same object	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:25
S29	1922	style near3 (visual or definit\$3 or lookup or appropriate)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:26
S30	10035	tree near3 (visual or assembl\$3 or generat\$3)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:28
S31	4915413	(associat\$3 or combin\$3 or bind\$3 or link or relat\$3 or connect\$3)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:30

		EAST Search				
S32	62	S28 and S29	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:47
S33	9964	S30 and S31	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:32
S34	10	S32 and S33	US-PGPUB; USPAT	ADJ	ON	2007/01/04 15:50
S35	898341	(receiv\$3 or communicat\$3 or transmit\$) same (locat\$ near5 appropriate visual style or generat\$3)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 15:55
S36	1	(binding near5 visual tree near3 data) same (render\$3 or create or compos\$3 or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 15:59
<b>S37</b>	740965	(binding or link or associat\$3 or connect\$3 near5 visual tree near3 data) same (render\$3 or create or compos\$3 or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ 1	ON	2007/01/04 16:00
S38	178702	S35 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:01
<b>S39</b>	543	715/762.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:02
S40	223	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:02
S41	228	(generat\$3 visual representation charact\$6 information or style definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04
542	6212028	bind\$3 module near15 plurality or multi or multiple or multiplicity or multitude or many or group or grouping or variety or various or several data view or (field adj2 view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04

S43	202	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04
S44	151	S43 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/01/04 16:06
S45	199	S40 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:07

US 20040163048 A1 US-PGPUB		20040819 19 System and method for capturing document style by example	715/517		McKnight, David K. et al.	1 PGPubs Full Image	US 20040163048
US 20060168518 A1 US-PGPUB	PGPUB 20060727	27 13 System and method for rapid creation and display of stylized digital content items	715/517 715/513; 715/530		Tischer, Steven Neil	1 PGPubs Full Image	US 20060168518
US 5832481 A USPAT	PAT 19981103	03 39 Reuseable and modifiable interface object	707/4		Sheffield; Kim A.	1 US Full Image	US 5832481
US 6330007 B1 USP	USPAT 2001121	20011211 48 Graphical user interface (GUI) prototyping and specification tool	715/762 715/501.1; 715/513	715/501.1; 715/513; 715/764; 715/765; 717/123	Isreal; Jack B. et al.	1 US Full Image	US 6330007
US 5950001 A USP	USPAT 1999090	19990907 12 Method and apparatus for customizing a software component	717/107 707/102; 707/3; 715	707/102; 707/3; 715/744; 715/762; 715/868; 717/110; 717/1 Hamilton; Graham et al.	1 Hamilton; Graham et al.	1 US Full Image	US 5950001
US 20050081162 A1 US-PGPUB	PGPUB 20050414	14 33 Binary cache file format for themeing the visual appearance of a computer system	715/765 345/581; 715/517; 715/700; 715/723	15/700; 715/723	Femandez, Roland L. et al.	1 PGPubs Futl Image	US 20050081162
US 20040153992 A1 US-PGPUB	PGPUB 20040805	05 88 Method and apparatus for automatic generation of information system user interfaces	717/105 715/762; 717/109; 719/328	19/328	Molina-Moreno, Pedro Juan et	1 PGPubs Full Image	US 20040153892
US 20040015841 A1 US-PGPUB	PGPUB 20040122	22 19 Software development tool employing workflows for developing user interactive programs	717/109 717/113		Lepejian, Yervant D. et al.	1 PGPubs Full Image	US 20040015841
US 7017145 B2 USPAT	PAT 20060321	21 21 Method, system, and program for generating a user interface	717/104 717/105; 717/109		Taytor, Julian S.	1 US Full Image	US 7017145
US 20040233232 A1 US-PGPUB	PGPUB 20041125	25 60 Automatic software production system	715/700		lboлa, Jose et al.	1 PGPubs Full Image	US 20040233232
US 5760773 A USP	USPAT 19980602	02 33 Methods and apparatus for interacting with data objects using action handles	715/808 345/872; 715/821; 715/860	. 15/860	Berman; Eric Robert et al.	1 US Full Image	US 5760773
US 6753885 B2 USP	USPAT 20040822	22 18 System and theme file format for creating visual styles	715/762 707/102; 707/103R; 715/853	715/853	Stoakley; Richard W. et al.	1 US Full Image	US 6753885
US 5860073 A USP	USPAT 1999011	19990112 44 Style sheets for publishing system	715/522 715/513; 715/518; 715/528	15/528	Ferrel; Patrick J. et al.	1 US Full Image	US 5860073
US 20040117387 A1 US-PGPUB		20040617 106 Database sizing and diagnostic utility	707/100		Civetta, Vincent et al.	1 PGPubs Full Image	US 20040117387
US 20020073343 A1 US-PGPUB		20020613 7 Integrated internet messenger system and method	728/3		Ziskind, Benjamin H. et al.	1 PGPubs Full Image	US 20020073343
US 20030146941 A1 US-PGPUB		20030807 13 Systems and methods for creating and managing graphical user interface lists	715/830		Bailey, Richard St.Clair et al.	1 PGPubs Full Image	US 20030146941
US 6873337 B1 USP	USPAT 2005032	20050329 15 Application programming interface for changing the visual style	345/581 345/501; 345/522; 715/700	15/700	Fernandez; Rotand L. et al.	1 US Full Image	US 6873337
US 7137102 B2 USP	USPAT 20061114	14 22 Program development device utilizing component, program development method and medium	717/121 715/810; 717/109; 717/113	17/113	Ilzuka; Kunlhiko	1 US Full Image	US 7137102
US 20030103085 A1 US-PGPUB	PGPUB 20030605	05 13 User interface display system providing user interactive image elements	715/810		Anuszewski, David et al.	1 PGPubs Full Image	US 20030103085
US 6978422 B1 USF	USPAT 2005122	20051220 20 Methods and apparatus for displaying managed resource information	715/734 708/223; 715/735; 715/736	15/736	Bushe; Michael Patrick et al.	1 US Full Image	US 6978422